

P001_樹林焚化廠CEMS系統月報表

報表日期: 2020年02月

| 項目 | 氯化氫 | 一氧化碳 | 氮氧化物 | 二氧化硫 | 水含量 | 氧氣 | 不透光率 | 流量 |
|-------|-------|--------|--------|--------|-------|-------|-------|-----------|
| 單位 | ppm | ppm | ppm | ppm | % | % | % | Nm3/Hour |
| 小時\限標 | 60.00 | 150.00 | 220.00 | 150.00 | 40.00 | 20.95 | 20.00 | 999999.00 |
| 1 | 4.59 | 2.55 | 92.91 | 8.68 | 13.58 | 11.87 | 1.27 | 100810.00 |
| 2 | 2.87 | 1.26 | 94.66 | 8.93 | 14.45 | 11.79 | 1.31 | 101926.00 |
| 3 | 2.12 | 1.70 | 96.12 | 9.39 | 14.40 | 11.74 | 1.26 | 103106.00 |
| 4 | 4.11 | 3.37 | 94.56 | 9.74 | 14.51 | 11.77 | 1.27 | 102591.00 |
| 5 | 5.41 | 1.49 | 96.51 | 9.73 | 13.98 | 11.87 | 1.22 | 103028.00 |
| 6 | 5.28 | 3.28 | 98.53 | 9.69 | 14.42 | 11.80 | 1.25 | 102607.00 |
| 7 | 6.65 | 4.36 | 91.56 | 9.93 | 13.85 | 11.96 | 1.25 | 101334.00 |
| 8 | 4.24 | 4.03 | 87.52 | 10.09 | 12.51 | 12.44 | 1.31 | 97073.00 |
| 9 | 1.92 | 7.19 | 74.72 | 10.60 | 11.55 | 12.93 | 1.30 | 91453.00 |
| 10 | ** | ** | ** | ** | ** | ** | ** | ** |
| 11 | 12.67 | 9.62 | 89.61 | 9.94 | 13.27 | 11.99 | 1.19 | 98026.00 |
| 12 | 13.45 | 3.46 | 100.53 | 10.62 | 13.92 | 12.42 | 1.17 | 96465.00 |
| 13 | 8.79 | 1.76 | 101.64 | 10.07 | 14.68 | 11.66 | 1.27 | 102794.00 |
| 14 | 10.69 | 1.95 | 103.78 | 10.50 | 14.39 | 11.75 | 1.29 | 101988.00 |
| 15 | 9.60 | 2.04 | 105.38 | 10.64 | 14.25 | 11.95 | 1.24 | 99992.00 |
| 16 | 4.25 | 2.05 | 108.50 | 10.11 | 14.41 | 12.00 | 1.13 | 100838.00 |
| 17 | 3.55 | 1.94 | 94.57 | 9.02 | 13.97 | 11.87 | 1.10 | 103504.00 |
| 18 | 6.92 | 3.06 | 89.74 | 8.46 | 13.93 | 11.70 | 1.10 | 104529.00 |
| 19 | 8.29 | 2.47 | 99.39 | 8.85 | 14.49 | 11.72 | 1.16 | 103261.00 |
| 20 | 11.63 | 2.50 | 97.28 | 9.66 | 13.86 | 11.96 | 1.17 | 100976.00 |
| 21 | 10.65 | 2.04 | 98.18 | 9.54 | 14.48 | 11.86 | 1.17 | 101641.00 |
| 22 | 5.78 | 2.05 | 95.85 | 9.55 | 14.60 | 11.84 | 1.11 | 95303.00 |
| 23 | 4.81 | 2.47 | 103.03 | 9.49 | 14.75 | 11.84 | 1.14 | 88226.00 |
| 24 | 3.80 | 1.59 | 99.42 | 9.54 | 15.23 | 11.80 | 1.17 | 87462.00 |
| 25 | 6.57 | 4.64 | 96.79 | 9.79 | 15.49 | 11.69 | 1.14 | 88330.00 |
| 26 | 16.33 | 5.11 | 90.05 | 9.38 | 15.03 | 11.59 | 1.14 | 88725.00 |
| 27 | 11.36 | 1.87 | 94.59 | 9.47 | 15.03 | 11.80 | 1.10 | 87437.00 |
| 28 | 10.30 | 4.94 | 90.75 | 9.41 | 14.79 | 11.86 | 1.10 | 86627.00 |
| 29 | 7.41 | 2.77 | 90.02 | 9.00 | 15.77 | 11.50 | 1.09 | 89318.00 |
| 平均值 | 7.29 | 3.13 | 95.58 | 9.64 | 14.27 | 11.89 | 1.19 | 97477.50 |
| 最大值 | 16.33 | 9.62 | 108.50 | 10.64 | 15.77 | 12.93 | 1.31 | 104529.00 |
| 最小值 | 1.92 | 1.26 | 74.72 | 8.46 | 11.55 | 11.50 | 1.09 | 86627.00 |

P002_樹林焚化廠CEMS系統月報表

報表日期: 2020年02月

| 項目 | 氯化氫 | 一氧化碳 | 氮氧化物 | 二氧化硫 | 水含量 | 氧氣 | 不透光率 | 流量 |
|-------|-------|--------|--------|--------|-------|-------|-------|-----------|
| 單位 | ppm | ppm | ppm | ppm | % | % | % | Nm3/Hour |
| 小時\限標 | 60.00 | 150.00 | 220.00 | 150.00 | 40.00 | 20.95 | 20.00 | 999999.00 |
| 1 | 2.28 | 6.55 | 76.23 | 4.88 | 13.62 | 11.99 | 0.87 | 75229.00 |
| 2 | 2.05 | 3.06 | 74.99 | 4.89 | 14.19 | 11.93 | 0.94 | 74937.00 |
| 3 | 2.08 | 10.85 | 78.80 | 5.18 | 13.87 | 11.98 | 0.97 | 74589.00 |
| 4 | 2.50 | 8.05 | 82.49 | 5.44 | 13.71 | 12.22 | 1.03 | 73234.00 |
| 5 | 3.11 | 5.09 | 82.33 | 5.32 | 13.66 | 12.11 | 0.99 | 74591.00 |
| 6 | 2.64 | 9.91 | 82.30 | 5.33 | 14.21 | 12.03 | 1.01 | 74180.00 |
| 7 | 3.16 | 9.65 | 78.79 | 5.29 | 13.67 | 12.01 | 0.98 | 74953.00 |
| 8 | 3.10 | 5.92 | 78.73 | 5.12 | 13.14 | 12.10 | 0.92 | 75629.00 |
| 9 | 2.05 | 6.92 | 76.69 | 5.09 | 13.26 | 12.19 | 0.90 | 74683.00 |
| 10 | 2.55 | 11.42 | 76.99 | 5.66 | 13.72 | 12.81 | 0.89 | 72778.00 |
| 11 | 4.60 | 12.46 | 75.18 | 6.12 | 13.41 | 12.97 | 0.86 | 71654.00 |
| 12 | 5.55 | 12.67 | 84.36 | 5.77 | 13.43 | 12.05 | 0.88 | 73625.00 |
| 13 | 4.53 | 6.13 | 86.00 | 5.48 | 14.05 | 11.97 | 0.89 | 73450.00 |
| 14 | 3.86 | 11.64 | 81.55 | 5.63 | 13.94 | 11.98 | 0.77 | 73511.00 |
| 15 | 2.80 | 9.03 | 81.37 | 5.59 | 14.09 | 12.04 | 0.68 | 73668.00 |
| 16 | 1.76 | 5.09 | 81.63 | 5.38 | 14.11 | 12.11 | 0.62 | 73905.00 |
| 17 | 1.26 | 12.11 | 75.72 | 5.23 | 13.57 | 12.09 | 0.60 | 74670.00 |
| 18 | 2.63 | 10.86 | 79.23 | 5.41 | 12.65 | 12.28 | 0.58 | 74094.00 |
| 19 | 2.49 | 12.50 | 76.44 | 5.40 | 13.41 | 12.19 | 0.66 | 73441.00 |
| 20 | 2.03 | 18.68 | 74.88 | 6.67 | 11.19 | 12.39 | 0.71 | 74632.00 |
| 21 | 1.47 | 3.59 | 71.05 | 5.02 | 11.86 | 11.51 | 0.68 | 81412.00 |
| 22 | 2.15 | 10.51 | 83.53 | 5.15 | 13.62 | 12.10 | 0.65 | 73855.00 |
| 23 | 1.76 | 1.87 | 83.29 | 4.96 | 14.36 | 12.01 | 0.68 | 75008.00 |
| 24 | 1.50 | 9.80 | 81.84 | 5.07 | 14.68 | 12.00 | 0.68 | 73833.00 |
| 25 | 2.42 | 13.04 | 85.27 | 5.27 | 14.30 | 12.06 | 0.64 | 73798.00 |
| 26 | 5.07 | 10.16 | 83.70 | 5.22 | 13.66 | 12.17 | 0.59 | 73181.00 |
| 27 | 5.09 | 5.29 | 84.62 | 5.36 | 13.36 | 12.31 | 0.56 | 72296.00 |
| 28 | 5.39 | 6.47 | 80.84 | 5.19 | 13.86 | 12.12 | 0.54 | 72250.00 |
| 29 | 3.63 | 6.73 | 79.12 | 5.06 | 14.56 | 12.05 | 0.52 | 72575.00 |
| 平均值 | 2.95 | 8.83 | 79.93 | 5.35 | 13.63 | 12.13 | 0.77 | 74126.24 |
| 最大值 | 5.55 | 18.68 | 86.00 | 6.67 | 14.68 | 12.97 | 1.03 | 81412.00 |
| 最小值 | 1.26 | 1.87 | 71.05 | 4.88 | 11.19 | 11.51 | 0.52 | 71654.00 |

P003_樹林焚化廠CEMS系統月報表

報表日期: 2020年02月

| 項目 | 氯化氫 | 一氧化碳 | 氮氧化物 | 二氧化硫 | 水含量 | 氧氣 | 不透光率 | 流量 |
|-------|-------|--------|--------|--------|-------|-------|-------|-----------|
| 單位 | ppm | ppm | ppm | ppm | % | % | % | Nm3/Hour |
| 小時\限標 | 60.00 | 150.00 | 220.00 | 150.00 | 40.00 | 20.95 | 20.00 | 999999.00 |
| 1 | 2.74 | 2.66 | 73.29 | 8.62 | 12.06 | 12.27 | 2.11 | 93738.00 |
| 2 | 2.41 | 2.43 | 73.18 | 9.00 | 12.36 | 12.29 | 2.14 | 90677.00 |
| 3 | 2.16 | 12.60 | 75.68 | 9.65 | 12.11 | 12.28 | 2.09 | 89170.00 |
| 4 | 1.76 | 13.46 | 77.13 | 10.14 | 11.86 | 12.60 | 2.02 | 87264.00 |
| 5 | 1.69 | 22.68 | 78.72 | 10.67 | 10.56 | 13.09 | 1.96 | 84225.00 |
| 6 | 1.28 | 6.81 | 106.26 | 12.12 | 9.48 | 13.98 | 1.97 | 77137.00 |
| 7 | 0.81 | 18.29 | 82.61 | 14.18 | 7.64 | 15.17 | 1.96 | 65087.00 |
| 8 | ** | ** | ** | ** | ** | ** | ** | ** |
| 9 | 1.98 | 9.89 | 71.30 | 9.13 | 12.47 | 12.34 | 1.75 | 95565.00 |
| 10 | 1.61 | 4.77 | 85.55 | 9.63 | 11.78 | 12.67 | 1.77 | 92816.00 |
| 11 | 1.73 | 4.49 | 65.94 | 10.18 | 12.69 | 12.76 | 1.75 | 88310.00 |
| 12 | 2.38 | 3.51 | 82.11 | 10.32 | 12.10 | 12.37 | 1.82 | 91289.00 |
| 13 | 1.66 | 5.13 | 112.77 | 10.92 | 12.15 | 12.62 | 1.93 | 87139.00 |
| 14 | 1.62 | 5.68 | 85.55 | 10.40 | 12.72 | 12.35 | 1.88 | 91986.00 |
| 15 | 1.42 | 3.09 | 84.36 | 10.27 | 12.94 | 12.28 | 1.74 | 92128.00 |
| 16 | 1.17 | 3.30 | 86.41 | 9.76 | 12.96 | 12.37 | 1.59 | 94219.00 |
| 17 | 1.12 | 6.79 | 86.42 | 9.17 | 12.13 | 12.52 | 1.55 | 93297.00 |
| 18 | 1.45 | 11.83 | 74.48 | 8.80 | 11.53 | 12.50 | 1.57 | 94045.00 |
| 19 | 2.20 | 5.44 | 77.93 | 8.89 | 12.12 | 12.29 | 1.63 | 93958.00 |
| 20 | 2.12 | 6.18 | 83.32 | 9.56 | 12.07 | 12.44 | 1.71 | 92237.00 |
| 21 | 1.94 | 7.20 | 77.07 | 9.46 | 12.68 | 12.25 | 1.71 | 93185.00 |
| 22 | 1.84 | 6.55 | 75.85 | 9.38 | 12.64 | 12.29 | 1.66 | 92671.00 |
| 23 | 1.60 | 4.11 | 77.47 | 9.08 | 13.34 | 12.15 | 1.67 | 94732.00 |
| 24 | 1.57 | 3.07 | 85.50 | 9.49 | 13.00 | 12.40 | 1.74 | 90499.00 |
| 25 | 1.76 | 12.56 | 67.62 | 9.32 | 13.32 | 12.29 | 1.72 | 90978.00 |
| 26 | 2.36 | 17.33 | 64.51 | 8.90 | 13.02 | 12.19 | 1.61 | 90469.00 |
| 27 | 2.67 | 9.55 | 80.05 | 9.17 | 12.56 | 12.44 | 1.54 | 90301.00 |
| 28 | 2.04 | 5.22 | 72.11 | 8.66 | 13.26 | 12.29 | 1.53 | 89949.00 |
| 29 | 2.26 | 5.25 | 72.92 | 8.37 | 13.66 | 12.14 | 1.53 | 91178.00 |
| 平均值 | 1.83 | 7.85 | 79.86 | 9.76 | 12.19 | 12.56 | 1.77 | 89937.46 |
| 最大值 | 2.74 | 22.68 | 112.77 | 14.18 | 13.66 | 15.17 | 2.14 | 95565.00 |
| 最小值 | 0.81 | 2.43 | 64.51 | 8.37 | 7.64 | 12.14 | 1.53 | 65087.00 |