

## P001 樹林焚化廠CEMS系統日報表-A

報表日期: 114年09月28日

| 項目<br>單位<br>小時\限標 | #1-HCl_C<br>ppm | #1-CO_C<br>ppm | #1-NOx_C<br>ppm | #1-SO2_C<br>ppm | #1-H2O<br>% | #1-O2_C<br>% | #1-OPAC<br>% | #1-FLOW_C<br>m3/Hour |
|-------------------|-----------------|----------------|-----------------|-----------------|-------------|--------------|--------------|----------------------|
| 0                 | 8.48            | 13.07          | 56.50           | 2.52            | 15.71       | 11.52        | 1.24         | 80900.11             |
| 1                 | 6.78            | 13.76          | 54.47           | 2.41            | 15.65       | 12.06        | 1.24         | 76929.27             |
| 2                 | 7.67            | 13.41          | 55.51           | 2.33            | 16.07       | 11.75        | 1.24         | 79279.82             |
| 3                 | 10.98           | 12.91          | 46.22           | 2.69            | 15.90       | 11.37        | 1.22         | 82515.01             |
| 4                 | 9.01            | 13.47          | 64.00           | 2.26            | 17.08       | 11.66        | 1.21         | 78867.15             |
| 5                 | 9.37            | 12.98          | 58.01           | 2.88            | 14.87       | 11.53        | 1.20         | 85755.98             |
| 6                 | 10.05           | 13.07          | 55.89           | 2.50            | 15.83       | 11.45        | 1.20         | 81190.82             |
| 7                 | 8.45            | 13.06          | 58.92           | 2.71            | 15.21       | 11.61        | 1.21         | 80917.68             |
| 8                 | 11.51           | 13.34          | 64.59           | 3.24            | 14.44       | 11.93        | 1.24         | 78550.81             |
| 9                 | 12.14           | 13.07          | 58.81           | 3.33            | 13.68       | 11.80        | 1.21         | 78319.31             |
| 10                | 8.37            | 13.12          | 56.59           | 2.81            | 14.95       | 11.69        | 1.21         | 78441.35             |
| 11                | 5.96            | 13.36          | 65.07           | 2.25            | 15.98       | 11.73        | 1.20         | 77704.00             |
| 12                | 8.31            | 13.88          | 53.59           | 2.34            | 16.07       | 11.41        | 1.20         | 81488.58             |
| 13                | 8.97            | 13.99          | 56.78           | 2.53            | 16.34       | 11.25        | 1.20         | 82431.56             |
| 14                | 10.35           | 14.69          | 61.46           | 2.56            | 16.11       | 11.52        | 1.20         | 79079.08             |
| 15                | 6.67            | 12.29          | 54.68           | 2.12            | 16.46       | 11.54        | 1.20         | 78372.24             |
| 16                | 11.90           | 12.01          | 58.31           | 2.65            | 15.95       | 11.01        | 1.20         | 84954.15             |
| 17                | 8.14            | 11.68          | 63.35           | 2.28            | 16.33       | 11.39        | 1.21         | 81277.84             |
| 18                | 9.17            | 11.56          | 45.74           | 2.59            | 16.65       | 10.84        | 1.20         | 82027.44             |
| 19                | 8.47            | 11.74          | 50.48           | 2.86            | 14.87       | 11.51        | 1.20         | 77005.75             |
| 20                | 10.03           | 12.94          | 57.64           | 2.85            | 14.58       | 11.67        | 1.20         | 77415.11             |
| 21                | 9.17            | 13.14          | 55.74           | 2.62            | 15.27       | 11.88        | 1.20         | 74550.90             |
| 22                | 8.81            | 14.86          | 52.54           | 2.55            | 15.52       | 11.52        | 1.20         | 77126.91             |
| 23                | 3.08            | 15.64          | 60.77           | 2.50            | 17.70       | 11.28        | 1.19         | 74331.63             |
| 監測時數              | 24              | 24             | 24              | 24              | 24          | 24           | 24           | 24                   |
| 超限次數              | 0               | 0              | 0               | 0               | 0           | 0            | 0            | 0                    |
| 有效時數              | 24              | 24             | 24              | 24              | 24          | 24           | 24           | 24                   |
| 平 均 值             | 8.83            | 13.21          | 56.90           | 2.60            | 15.72       | 11.54        | 1.21         | 79559.69             |
| 最 大 值             | 12.14           | 15.64          | 65.07           | 3.33            | 17.70       | 12.06        | 1.25         | 85755.98             |
| 發生時間              | 9               | 23             | 11              | 9               | 23          | 1            |              | 5                    |
| 最 小 值             | 3.08            | 11.56          | 45.74           | 2.12            | 13.68       | 10.84        | 1.18         | 74331.63             |
| 發生時間              | 23              | 18             | 18              | 15              | 9           | 18           |              | 23                   |
| 零點偏移(率)           | -0.02 %         | 0.01 %         | -0.01 %         | 0.00 %          |             | 0.02         |              | 0.20 %               |
| 全幅偏移(率)           | -0.54 %         | 0.65 %         | -0.35 %         | -0.10 %         |             | 0.36         |              | 0.20 %               |
| 有效比率              | 100.00 %        | 100.00 %       | 100.00 %        | 100.00 %        | 100.00 %    | 100.00 %     | 100.00 %     | 100.00 %             |
| 備註                |                 |                |                 |                 |             |              |              |                      |



P003 樹林焚化廠CEMS系統日報表-A 報表日期: 114年09月28日

報表日期: 114年09月28日

| 項目<br>單位<br>小時\限標 | #3-HCl_C | #3-CO_C  | #3-NOx_C | #3-SO2_C | #3-H2O   | #3-O2_C  | #3-OPAC  | #3-FLOW_C |
|-------------------|----------|----------|----------|----------|----------|----------|----------|-----------|
|                   | ppm      | ppm      | ppm      | ppm      | %        | %        | %        | m3/Hour   |
|                   | 60.00    | 150.00   | 220.00   | 150.00   | 100.00   | 25.00    | 10.00    | 999999.00 |
| 0                 | 4.91     | 14.57    | 59.73    | 3.46     | 16.85    | 10.75    | 1.42     | 78507.12  |
| 1                 | 6.03     | 14.46    | 56.73    | 3.67     | 18.24    | 10.22    | 1.45     | 78935.41  |
| 2                 | 8.60     | 15.84    | 57.85    | 4.13     | 15.60    | 11.34    | 1.46     | 79830.93  |
| 3                 | 6.03     | 14.23    | 56.29    | 3.79     | 15.55    | 10.57    | 1.45     | 82268.25  |
| 4                 | 10.28    | 13.72    | 55.98    | 3.73     | 18.51    | 9.89     | 1.43     | 86156.08  |
| 5                 | 6.01     | 13.92    | 58.18    | 3.37     | 16.85    | 10.23    | 1.43     | 81926.03  |
| 6                 | 10.13    | 12.57    | 54.51    | 3.55     | 16.86    | 9.79     | 1.43     | 81469.30  |
| 7                 | 4.98     | 11.51    | 56.13    | 3.00     | 17.04    | 9.95     | 1.43     | 76360.18  |
| 8                 | 7.29     | 12.42    | 52.39    | 3.05     | 17.35    | 9.60     | 1.41     | 77843.51  |
| 9                 | 4.48     | 11.95    | 59.55    | 2.96     | 15.96    | 10.35    | 1.42     | 75537.55  |
| 10                | 7.19     | 12.42    | 58.49    | 2.98     | 16.53    | 10.65    | 1.40     | 78143.60  |
| 11                | 5.08     | 11.78    | 61.80    | 2.77     | 17.09    | 10.33    | 1.43     | 78473.70  |
| 12                | 7.26     | 11.69    | 58.57    | 2.81     | 17.20    | 10.18    | 1.40     | 77560.23  |
| 13                | 6.04     | 12.94    | 59.91    | 2.84     | 17.36    | 10.26    | 1.40     | 78400.79  |
| 14                | 7.19     | 14.26    | 58.15    | 3.14     | 15.97    | 10.61    | 1.42     | 79024.59  |
| 15                | 8.44     | 11.73    | 60.31    | 2.91     | 16.82    | 10.33    | 1.43     | 78418.39  |
| 16                | 8.59     | 11.59    | 56.59    | 3.14     | 18.40    | 9.68     | 1.43     | 83773.75  |
| 17                | 8.36     | 11.57    | 57.34    | 2.98     | 16.84    | 9.98     | 1.41     | 80145.68  |
| 18                | 8.51     | 11.34    | 58.01    | 3.08     | 15.89    | 10.10    | 1.38     | 77480.30  |
| 19                | 11.60    | 11.50    | 59.24    | 3.22     | 17.03    | 9.81     | 1.40     | 79387.80  |
| 20                | 8.03     | 11.30    | 59.82    | 2.96     | 17.79    | 9.88     | 1.43     | 79857.75  |
| 21                | 10.90    | 12.04    | 60.35    | 3.04     | 17.68    | 9.97     | 1.43     | 80987.00  |
| 22                | 6.99     | 11.30    | 58.05    | 2.94     | 18.07    | 9.81     | 1.43     | 82003.96  |
| 23                | 10.68    | 11.25    | 61.71    | 3.27     | 18.51    | 9.72     | 1.42     | 83182.60  |
| 監測時數              | 24       | 24       | 24       | 24       | 24       | 24       | 24       | 24        |
| 超限次數              | 0        | 0        | 0        | 0        | 0        | 0        | 0        | 0         |
| 有效時數              | 24       | 24       | 24       | 24       | 24       | 24       | 24       | 24        |
| 平 均 值             | 7.65     | 12.58    | 58.15    | 3.20     | 17.08    | 10.17    | 1.42     | 79819.77  |
| 最 大 值             | 11.60    | 15.84    | 61.80    | 4.13     | 18.51    | 11.34    | 1.47     | 86156.08  |
| 發生時間              | 19       | 2        | 11       | 2        | 4        | 2        |          | 4         |
| 最 小 值             | 4.48     | 11.25    | 52.39    | 2.77     | 15.55    | 9.60     | 1.38     | 75537.55  |
| 發生時間              | 9        | 23       | 8        | 11       | 3        | 8        |          | 9         |
| 零點偏移(率)           | -0.07 %  | 0.01 %   | -0.01 %  | -0.02 %  |          | -0.02    |          | 0.10 %    |
| 全幅偏移(率)           | 0.67 %   | 0.64 %   | 0.91 %   | 0.30 %   |          | 0.29     |          | 0.10 %    |
| 有效比率              | 100.00 % | 100.00 % | 100.00 % | 100.00 % | 100.00 % | 100.00 % | 100.00 % | 100.00 %  |
| 備註                |          |          |          |          |          |          |          |           |