

P001 樹林焚化廠CEMS系統日報表-A 報表日期: 113年07月25日

報表日期: 113年07月25日

| 項目<br>單位<br>小時\限標 | #1-HCl_C<br>ppm | #1-CO_C<br>ppm | #1-NOx_C<br>ppm | #1-SO2_C<br>ppm | #1-H2O<br>% | #1-O2_C<br>% | #1-OPAC<br>% | #1-FLOW_C<br>m3/Hour |
|-------------------|-----------------|----------------|-----------------|-----------------|-------------|--------------|--------------|----------------------|
| 0                 | 4.73            | 3.33           | 53.52           | 2.28            | 18.02       | 12.26        | 1.02         | 76712.61             |
| 1                 | 1.42            | 3.24           | 58.11           | 2.17            | 19.53       | 12.48        | 1.02         | 73916.72             |
| 2                 | 3.47            | 3.25           | 46.94           | 1.94            | 18.96       | 11.99        | 1.03         | 78733.73             |
| 3                 | 3.74            | 3.22           | 40.76           | 3.78            | 15.50       | 12.74        | 1.03         | 74953.69             |
| 4                 | 9.47            | 4.11           | 44.46           | 2.36            | 16.84       | 12.30        | 1.04         | 77660.32             |
| 5                 | 3.83            | 6.16           | 45.09           | 1.46            | 17.46       | 12.53        | 1.02         | 73937.20             |
| 6                 | 7.34            | 3.32           | 53.85           | 2.03            | 18.06       | 11.87        | 1.02         | 80398.24             |
| 7                 | 6.11            | 3.54           | 43.59           | 2.29            | 16.86       | 12.19        | 1.02         | 78977.63             |
| 8                 | 5.51            | 3.43           | 57.66           | 1.87            | 17.86       | 12.16        | 1.02         | 78280.39             |
| 9                 | 5.76            | 3.07           | 52.77           | 2.49            | 16.61       | 12.35        | 1.00         | 77649.06             |
| 10                | 6.43            | 3.03           | 55.24           | 2.04            | 18.29       | 11.85        | 1.01         | 79860.91             |
| 11                | 2.55            | 3.09           | 42.74           | 2.70            | 15.62       | 12.42        | 1.02         | 75490.02             |
| 12                | 4.47            | 3.04           | 61.09           | 1.59            | 17.23       | 12.32        | 1.02         | 76536.83             |
| 13                | 6.96            | 3.29           | 55.01           | 2.53            | 16.35       | 12.14        | 1.04         | 79119.63             |
| 14                | 3.47            | 3.93           | 52.13           | 2.65            | 16.33       | 12.25        | 1.03         | 77395.11             |
| 15                | 9.13            | 3.41           | 56.05           | 1.81            | 19.01       | 11.17        | 1.02         | 83726.74             |
| 16                | 7.07            | 3.51           | 67.83           | 1.42            | 18.52       | 11.39        | 1.02         | 80877.99             |
| 17                | 7.09            | 3.32           | 61.69           | 1.27            | 19.08       | 10.88        | 1.02         | 84596.53             |
| 18                | 9.16            | 3.85           | 49.53           | 2.24            | 17.39       | 11.34        | 1.02         | 81571.14             |
| 19                | 4.43            | 3.67           | 59.04           | 0.84            | 18.40       | 11.68        | 1.02         | 77715.95             |
| 20                | 3.29            | 3.43           | 57.33           | 1.26            | 17.11       | 11.66        | 1.02         | 79505.08             |
| 21                | 7.45            | 3.43           | 48.14           | 2.02            | 17.54       | 11.42        | 1.02         | 82070.45             |
| 22                | 5.18            | 3.44           | 62.58           | 1.13            | 17.76       | 11.72        | 1.02         | 77186.18             |
| 23                | 7.61            | 4.69           | 41.29           | 1.11            | 17.55       | 11.80        | 1.02         | 78706.32             |
| 監測時數              | 24              | 24             | 24              | 24              | 24          | 24           | 24           | 24                   |
| 超限次數              | 0               | 0              | 0               | 0               | 0           | 0            | 0            | 0                    |
| 有效時數              | 24              | 24             | 24              | 24              | 24          | 24           | 24           | 24                   |
| 平 均 值             | 5.65            | 3.58           | 52.77           | 1.97            | 17.58       | 11.95        | 1.02         | 78565.77             |
| 最 大 值             | 9.47            | 6.16           | 67.83           | 3.78            | 19.53       | 12.74        | 1.05         | 84596.53             |
| 發生時間              | 4               | 5              | 16              | 3               | 1           | 3            |              | 17                   |
| 最 小 值             | 1.42            | 3.03           | 40.76           | 0.84            | 15.50       | 10.88        | 0.99         | 73916.72             |
| 發生時間              | 1               | 10             | 3               | 19              | 3           | 17           |              | 1                    |
| 零點偏移(率)           | -0.05 %         | -0.01 %        | -0.22 %         | -0.03 %         |             | -0.13        |              | 0.00 %               |
| 全幅偏移(率)           | 0.00 %          | 0.55 %         | 0.15 %          | 0.38 %          |             | -0.77        |              | 0.30 %               |
| 有效比率              | 100.00 %        | 100.00 %       | 100.00 %        | 100.00 %        | 100.00 %    | 100.00 %     | 100.00 %     | 100.00 %             |
| 備註                |                 |                |                 |                 |             |              |              |                      |

報表日期: 113年07月25日

| 項目<br>單位<br>小時\限標 | #2-HCl_C | #2-CO_C  | #2-NOx_C | #2-SO <sub>2</sub> _C | #2-H <sub>2</sub> O | #2-O <sub>2</sub> _C | #2-OPAC  | #2-FLOW_C |
|-------------------|----------|----------|----------|-----------------------|---------------------|----------------------|----------|-----------|
|                   | ppm      | ppm      | ppm      | ppm                   | %                   | %                    | %        | m3/Hour   |
|                   | 60.00    | 150.00   | 220.00   | 150.00                | 100.00              | 25.00                | 10.00    | 999999.00 |
| 0                 | 6.47     | 6.11     | 43.83    | 2.69                  | 17.35               | 11.84                | 0.90     | 77696.47  |
| 1                 | 6.15     | 2.48     | 43.70    | 2.67                  | 16.79               | 11.99                | 0.90     | 76808.54  |
| 2                 | 8.55     | 1.61     | 41.72    | 2.94                  | 15.65               | 11.89                | 0.90     | 78841.07  |
| 3                 | 9.59     | 1.86     | 43.53    | 1.34                  | 15.39               | 11.85                | 0.90     | 79782.42  |
| 4                 | 9.10     | 1.86     | 55.30    | 1.00                  | 16.88               | 11.63                | 0.90     | 79230.74  |
| 5                 | 9.03     | 1.82     | 54.32    | 1.20                  | 15.27               | 12.06                | 0.90     | 77515.62  |
| 6                 | 6.30     | 2.86     | 51.67    | 3.30                  | 15.47               | 11.69                | 0.90     | 76289.04  |
| 7                 | 8.51     | 2.40     | 55.66    | 2.78                  | 16.12               | 11.64                | 0.90     | 80372.21  |
| 8                 | 8.93     | 2.37     | 63.88    | 2.07                  | 16.86               | 11.51                | 0.90     | 81252.61  |
| 9                 | 7.88     | 3.13     | 36.54    | 2.91                  | 15.34               | 12.06                | 0.90     | 77287.75  |
| 10                | 8.14     | 3.06     | 42.38    | 2.96                  | 15.19               | 12.11                | 0.90     | 76959.02  |
| 11                | 8.52     | 4.30     | 41.77    | 3.75                  | 13.91               | 12.04                | 0.89     | 78838.83  |
| 12                | 7.01     | 1.38     | 63.29    | 3.33                  | 13.20               | 11.49                | 0.88     | 84331.42  |
| 13                | 8.34     | 5.23     | 53.37    | 2.80                  | 14.41               | 12.10                | 0.88     | 77080.64  |
| 14                | 8.16     | 1.89     | 43.04    | 2.14                  | 16.58               | 11.36                | 0.89     | 80375.08  |
| 15                | 8.85     | 8.30     | 46.06    | 1.87                  | 16.87               | 11.08                | 0.90     | 80922.09  |
| 16                | 8.71     | 4.48     | 42.92    | 1.87                  | 16.35               | 11.06                | 0.91     | 81783.21  |
| 17                | 8.15     | 3.35     | 55.46    | 1.03                  | 18.71               | 10.42                | 0.92     | 84491.01  |
| 18                | 9.24     | 3.52     | 51.76    | 1.80                  | 17.12               | 10.70                | 0.92     | 83205.38  |
| 19                | 7.70     | 6.20     | 49.65    | 2.08                  | 17.27               | 10.81                | 0.92     | 82950.25  |
| 20                | 7.28     | 2.17     | 47.39    | 1.46                  | 17.17               | 11.02                | 0.92     | 80806.33  |
| 21                | 9.08     | 5.15     | 37.78    | 1.65                  | 17.47               | 10.58                | 0.90     | 83341.09  |
| 22                | 8.29     | 3.37     | 46.85    | 1.44                  | 17.95               | 10.85                | 0.91     | 81567.57  |
| 23                | 7.94     | 4.91     | 43.09    | 1.14                  | 18.12               | 10.90                | 0.91     | 81003.39  |
| 監測時數              | 24       | 24       | 24       | 24                    | 24                  | 24                   | 24       | 24        |
| 超限次數              | 0        | 0        | 0        | 0                     | 0                   | 0                    | 0        | 0         |
| 有效時數              | 24       | 24       | 24       | 24                    | 24                  | 24                   | 24       | 24        |
| 平 均 值             | 8.16     | 3.49     | 48.12    | 2.18                  | 16.31               | 11.45                | 0.90     | 80113.82  |
| 最 大 值             | 9.59     | 8.30     | 63.88    | 3.75                  | 18.71               | 12.11                | 0.93     | 84491.01  |
| 發生時間              | 3        | 15       | 8        | 11                    | 17                  | 10                   |          | 17        |
| 最 小 值             | 6.15     | 1.38     | 36.54    | 1.00                  | 13.20               | 10.42                | 0.88     | 76289.04  |
| 發生時間              | 1        | 12       | 9        | 4                     | 12                  | 17                   |          | 6         |
| 零點偏移(率)           | -0.06 %  | 0.00 %   | -0.02 %  | -0.07 %               |                     | -0.11                |          | -0.20 %   |
| 全幅偏移(率)           | 0.13 %   | 0.87 %   | -0.48 %  | 0.05 %                |                     | -0.59                |          | -0.10 %   |
| 有效比率              | 100.00 % | 100.00 % | 100.00 % | 100.00 %              | 100.00 %            | 100.00 %             | 100.00 % | 100.00 %  |
| 備註                |          |          |          |                       |                     |                      |          |           |

## P003 樹林焚化廠CEMS系統日報表-A

報表日期: 113年07月25日

| 項目<br>單位<br>小時\限標 | #3-HCl_C<br>ppm | #3-CO_C<br>ppm | #3-NOx_C<br>ppm | #3-SO2_C<br>ppm | #3-H2O<br>% | #3-O2_C<br>% | #3-OPAC<br>% | #3-FLOW_C<br>m3/Hour |
|-------------------|-----------------|----------------|-----------------|-----------------|-------------|--------------|--------------|----------------------|
|                   | 60.00           | 150.00         | 220.00          | 150.00          | 100.00      | 25.00        | 10.00        | 999999.00            |
| 0                 | 6.13            | 2.47           | 54.95           | 0.54            | 17.81       | 11.91        | 0.94         | 73683.42             |
| 1                 | 6.26            | 3.31           | 46.24           | 0.61            | 18.56       | 11.92        | 0.96         | 73108.86             |
| 2                 | 9.46            | 7.60           | 41.19           | 1.51            | 15.30       | 12.14        | 0.97         | 73783.55             |
| 3                 | 7.30            | 6.13           | 45.41           | 2.15            | 14.36       | 12.23        | 0.92         | 70796.28             |
| 4                 | 9.99            | 3.12           | 51.66           | 1.86            | 15.23       | 12.26        | 0.92         | 72407.75             |
| 5                 | 9.52            | 7.96           | 42.43           | 1.49            | 15.06       | 12.10        | 0.92         | 73061.00             |
| 6                 | 10.11           | 2.22           | 54.25           | 1.81            | 15.05       | 12.14        | 0.93         | 73329.24             |
| 7                 | 11.22           | 3.83           | 38.05           | 1.45            | 15.46       | 12.05        | 0.91         | 70509.18             |
| 8                 | 9.46            | 3.88           | 47.04           | 0.81            | 15.67       | 12.32        | 0.90         | 69331.36             |
| 9                 | 10.49           | 4.26           | 54.95           | 0.96            | 15.90       | 11.96        | 0.91         | 75804.17             |
| 10                | 8.47            | 2.93           | 54.26           | 1.33            | 15.04       | 12.38        | 0.93         | 72847.30             |
| 11                | 7.42            | 3.34           | 52.83           | 1.78            | 14.22       | 12.18        | 0.94         | 74683.41             |
| 12                | 9.63            | 7.89           | 38.48           | 3.74            | 12.46       | 11.00        | 0.94         | 78232.25             |
| 13                | 6.47            | 3.60           | 38.12           | 3.84            | 13.18       | 12.19        | 0.91         | 65600.21             |
| 14                | 9.98            | 4.25           | 40.49           | 4.04            | 14.11       | 11.08        | 0.92         | 73382.96             |
| 15                | 6.12            | 2.22           | 45.82           | 2.32            | 15.81       | 10.99        | 0.94         | 72601.84             |
| 16                | 4.37            | 2.13           | 51.96           | 2.38            | 17.31       | 10.23        | 0.92         | 78346.59             |
| 17                | 5.62            | 3.31           | 45.90           | 3.55            | 16.23       | 10.67        | 0.92         | 77412.91             |
| 18                | 7.39            | 2.33           | 53.84           | 4.02            | 15.85       | 10.73        | 0.91         | 76464.01             |
| 19                | 2.48            | 2.11           | 58.70           | 1.85            | 15.02       | 11.37        | 0.92         | 70886.60             |
| 20                | 3.57            | 1.26           | 62.94           | 0.69            | 16.98       | 11.01        | 0.92         | 78464.52             |
| 21                | 4.48            | 2.02           | 60.59           | 0.88            | 17.29       | 10.58        | 0.92         | 82570.54             |
| 22                | 5.27            | 1.96           | 48.95           | 1.06            | 16.29       | 11.36        | 0.92         | 76975.43             |
| 23                | 5.53            | 1.77           | 51.91           | 0.75            | 16.93       | 11.37        | 0.92         | 76334.04             |
| 監測時數              | 24              | 24             | 24              | 24              | 24          | 24           | 24           | 24                   |
| 超限次數              | 0               | 0              | 0               | 0               | 0           | 0            | 0            | 0                    |
| 有效時數              | 24              | 24             | 24              | 24              | 24          | 24           | 24           | 24                   |
| 平 均 值             | 7.36            | 3.58           | 49.21           | 1.89            | 15.63       | 11.59        | 0.93         | 74192.39             |
| 最 大 值             | 11.22           | 7.96           | 62.94           | 4.04            | 18.56       | 12.38        | 0.99         | 82570.54             |
| 發生時間              | 7               | 5              | 20              | 14              | 1           | 10           |              | 21                   |
| 最 小 值             | 2.48            | 1.26           | 38.05           | 0.54            | 12.46       | 10.23        | 0.90         | 65600.21             |
| 發生時間              | 19              | 20             | 7               | 0               | 12          | 16           |              | 13                   |
| 零點偏移(率)           | -0.08 %         | -0.00 %        | -0.09 %         | -0.08 %         |             | -0.17        |              | 0.00 %               |
| 全幅偏移(率)           | 0.02 %          | 0.71 %         | 0.82 %          | 0.68 %          |             | -0.40        |              | 0.00 %               |
| 有效比率              | 100.00 %        | 100.00 %       | 100.00 %        | 100.00 %        | 100.00 %    | 100.00 %     | 100.00 %     | 100.00 %             |
| 備註                |                 |                |                 |                 |             |              |              |                      |